




WEI DA HARDWARE




Plain Hinge

Model NO.	Dimension(HxWxT)	Model NO.	Dimension(HxWxT)
SS302020-4BB	3.0"x2.0"x2.0mm	SS504030-4BB	5.0"x4.0"x3.0mm
SS302520-4BB	3.0"x2.5"x2.0mm	SS604030-4BB	6.0"x4.0"x3.0mm
SS403020-4BB	4.0"x3.0"x2.0mm	SS605030-4BB	6.0"x5.0"x3.0mm
SS303020-4BB	3.0"x3.0"x2.0mm	SS403035-4BB	3.0"x3.0"x3.5mm
SS403520-4BB	4.0"x3.5"x2.0mm	SS403535-4BB	4.0"x3.5"x3.5mm
SS404020-4BB	4.0"x4.0"x2.0mm	SS404035-4BB	4.0"x4.0"x3.5mm
SS353525-4BB	3.5"x3.5"x2.5mm	SS454035-4BB	4.5"x4.0"x3.5mm
SS353025-4BB	3.5"x3.0"x2.5mm	SS455335-4BB	4.5"x4.5"x3.5mm
SS403025-4BB	4.0"x3.0"x2.5mm	SS505035-4BB	5.0"x5.0"x3.5mm
SS403525-4BB	4.0"x3.5"x2.5mm	SS4030404BB	4.0"x3.0"x4.0mm
SS404025-4BB	4.0"x4.0"x2.5mm	SS403540-4BB	4.0"x3.5"x4.0mm
SS503025-4BB	5.0"x3.0"x2.5mm	SS404040-4BB	4.0"x4.0"x4.0mm
SS503525-4BB	5.0"x3.5"x2.5mm	SS454040-4BB	4.5"x4.0"x4.0mm
SS504025-4BB	5.0"x4.0"x2.5mm	SS455440-4BB	4.5"x4.5"x4.0mm
SS403030-4BB	4.0"x3.0"x3.0mm	SS503040-4BB	5.0"x3.0"x4.0mm
SS403530-4BB	4.0"x3.5"x3.0mm	SS504040-4BB	5.0"x4.0"x4.0mm
SS404030-4BB	4.0"x4.0"x3.0mm	SS505040-4BB	5.0"x5.0"x4.0mm
SS454030-4BB	4.5"x4.0"x3.0mm	SS604040-4BB	6.0"x4.0"x4.0mm
SS454530-4BB	4.5"x4.5"x3.0mm	SS504045-4BB	5.0"x4.0"x4.5mm
SS503530-4BB	5.0"x3.0"x3.0mm	SS504545-4BB	5.0"x4.5"x4.5mm
SS503530-4BB	5.0"x3.5"x3.0mm		





2BB Ball bearing hinges

Model NO.	Dimension(HxWxT)	Model NO.	Dimension(HxWxT)
SS302020-2BB	3.0"x2.0"x2.0mm	SS503530-2BB	5.0"x3.5"x3.0mm
SS302520-2BB	3.0"x2.5"x2.0mm	SS504030-2BB	5.0"x4.0"x3.0mm
SS403020-2BB	4.0"x3.0"x2.0mm	SS604030-2BB	6.0"x4.0"x3.0mm
SS303020-2BB	3.0"x3.0"x2.0mm	SS605030-2BB	6.0"x5.0"x3.0mm
SS403520-2BB	4.0"x3.5"x2.0mm	SS454035-2BB	4.5"x4.0"x3.5mm
SS404020-2BB	4.0"x4.0"x2.0mm	SS454535-2BB	4.5"x4.5"x3.5mm
SS353025-2BB	3.5"x3.0"x2.5mm	SS505035-2BB	5.0"x5.0"x3.5mm
SS353525-2BB	3.5"x3.5"x2.5mm	SS403040-2BB	4.0"x3.0"x4.0mm
SS403025-2BB	4.0"x3.0"x2.5mm	SS403540-2BB	4.0"x3.5"x4.0mm
SS403525-2BB	4.0"x3.5"x2.5mm	SS454040-2BB	4.5"x4.0"x4.0mm
SS404025-2BB	4.0"x4.0"x2.5mm	SS454540-2BB	4.5"x4.5"x4.0mm
SS503025-2BB	5.0"x3.0"x2.5mm	SS503040-2BB	5.0"x3.0"x4.0mm
SS503525-2BB	5.0"x3.5"x2.5mm	SS504040-2BB	5.0"x4.0"x4.0mm
SS504025-2BB	5.0"x4.0"x2.5mm	SS454040-2BB	5.0"x4.0"x4.0mm
SS504025-2BB	5.0"x4.0"x2.5mm	SS505040-2BB	5.0"x5.0"x4.0mm
SS504025-2BB	5.0"x4.0"x2.5mm	SS604040-2BB	6.0"x4.0"x4.0mm
SS403030-2BB	4.0"x3.0"x3.0mm	SS404045-2BB	4.0"x4.0"x4.5mm
SS403530-2BB	4.0"x3.5"x3.0mm	SS454045-2BB	4.5"x4.0"x4.5mm
SS404030-2BB	4.0"x4.0"x3.0mm	SS454545-2BB	4.5"x4.5"x4.5mm
SS404030-2BB	4.5"x4.0"x3.0mm	SS504045-2BB	5.0"x4.0"x4.5mm
SS454030-2BB	4.5"x4.0"x3.0mm	SS504545-2BB	5.0"x4.5"x4.5mm
SS454530-2BB	4.5"x4.5"x3.0mm	SS504545-2BB	5.0"x4.5"x4.5mm
SS503030-2BB	5.0"x3.0"x3.0mm	SS504545-2BB	5.0"x4.5"x4.5mm
	6x5x3.5mm		




4BB Ball bearing hinges


Model NO.	Dimension(HxWxT)	Model NO.	Dimension(HxWxT)
SS403020-PJ	4.0"x3.0"x2.0mm	SS604030-PJ	6.0"x4.0"x3.0mm
SS404020-PJ	4.0"x4.0"x2.0mm	SS605030-PJ	6.0"x5.0"x3.0mm
SS353525-PJ	3.5"x3.5"x2.5mm	SS403035-PJ	4.0"x3.0"x3.5mm
SS403025-PJ	4.0"x3.0"x2.5mm	SS404035-PJ	4.0"x4.0"x3.5mm
SS404025-PJ	4.0"x4.0"x2.5mm	SS503535-PJ	5.0"x3.5"x3.5mm
SS503025-PJ	5.0"x3.0"x2.5mm	SS504035-PJ	5.0"x4.0"x3.5mm
SS503525-PJ	5.0"x3.5"x2.5mm	SS505035-PJ	5.0"x5.0"x3.5mm
SS353530-PJ	3.5"x3.5"x3.0mm	SS603535-PJ	6.0"x3.5"x3.5mm
SS403030-PJ	4.0"x3.0"x3.0mm	SS604035-PJ	6.0"x4.0"x3.5mm
SS404030-PJ	4.0"x4.0"x3.0mm	SS605035-PJ	6.0"x5.0"x3.5mm
SS454030-PJ	4.5"x4.0"x3.0mm	SS403040-PJ	4.0"x3.0"x4.0mm
SS454530-PJ	4.5"x4.5"x3.0mm	SS403540-PJ	4.0"x3.5"x4.0mm
SS503030-PJ	5.0"x3.0"x3.0mm	SS503540-PJ	5.0"x3.5"x4.0mm
SS503530-PJ	5.0"x3.5"x3.0mm	SS504040-PJ	5.0"x4.0"x4.0mm
SS504030-PJ	5.0"x4.0"x3.0mm	SS604040-PJ	6.0"x4.0"x4.0mm
SS505030-PJ	5.0"x5.0"x3.0mm	SS605040-PJ	6.0"x5.0"x4.0mm
SS603530-PJ	6.0"x3.5"x3.0mm		




180x133x3mm
120x133x3mm





L	W	T
101.6	76.2	3
101.6	88.9	3
101.6	101.6	3
114.3	101.6	3.5
114.3	114.3	3.5
127	76	3



L	W	T
100	75	2
100	72	3




L	W	T
125	110	3.3
125	93	3.3




Model NO.	Dimension(HxWxT)	Model NO.	Dimension(HxWxT)
SS302020-2BB	3.0"x2.0"x2.0mm	SS503530-2BB	5.0"x3.5"x3.0mm
SS302520-2BB	3.0"x2.5"x2.0mm	SS504030-2BB	5.0"x4.0"x3.0mm
SS403020-2BB	4.0"x3.0"x2.0mm	SS604030-2BB	6.0"x4.0"x3.0mm
SS303020-2BB	3.0"x3.0"x2.0mm	SS605030-2BB	6.0"x5.0"x3.0mm
SS403520-2BB	4.0"x3.5"x2.0mm	SS454035-2BB	4.5"x4.0"x3.5mm
SS404020-2BB	4.0"x4.0"x2.0mm	SS454535-2BB	4.5"x4.5"x3.5mm
SS353025-2BB	3.5"x3.0"x2.5mm	SS505035-2BB	5.0"x5.0"x3.5mm
SS353525-2BB	3.5"x3.5"x2.5mm	SS403040-2BB	4.0"x3.0"x4.0mm
SS403025-2BB	4.0"x3.0"x2.5mm	SS403540-2BB	4.0"x3.5"x4.0mm
SS403525-2BB	4.0"x3.5"x2.5mm	SS454040-2BB	4.5"x4.0"x4.0mm
SS404025-2BB	5.0"x3.0"x2.5mm	SS454540-2BB	4.5"x4.5"x4.0mm
SS503025-2BB	5.0"x3.5"x2.5mm	SS503040-2BB	5.0"x3.0"x4.0mm
SS503525-2BB	5.0"x4.0"x2.5mm	SS454040-2BB	5.0"x4.0"x4.0mm
SS504025-2BB	4.0"x3.0"x3.0mm	SS505040-2BB	5.0"x5.0"x4.0mm
SS403030-2BB	4.0"x3.5"x3.0mm	SS604040-2BB	6.0"x4.0"x4.0mm
SS403530-2BB	4.0"x4.0"x3.0mm	SS404045-2BB	4.0"x4.0"x4.5mm
SS404030-2BB	4.5"x4.0"x3.0mm	SS454045-2BB	4.5"x4.0"x4.5mm
SS454030-2BB	4.5"x4.0"x3.0mm	SS454545-2BB	4.5"x4.5"x4.5mm
SS454530-2BB	4.5"x4.5"x3.0mm	SS504045-2BB	5.0"x4.0"x4.5mm
SS503030-2BB	5.0"x3.0"x3.0mm	SS504545-2BB	5.0"x4.5"x4.5mm

HINGES 门合页


HINGES 门合页




L	W	T
101.6	88.9	3




L	W	T
76.2	50.8	2
101.6	76.2	2
101.6	76.2	2.5
101.6	76.2	3
101.6	88.9	3
101.6	101.6	3
127	88.9	3




	A	B	C	D	E	F	G	H	I
25	1800	50	16.2	4.8	9.5	14.8	4	3.7	0.9
25	1800	50	16.2	4.8	9.5	14.8	5	3.7	0.8
25	1800	50	16.5	4.8	9.5	14.8	5	3.7	0.8
30	1800	50	16.2	4.8	12	17	6.5	3.7	0.9
30	1800	50	17.7	4.4	12.4	17.2	5.7	3.9	0.8
30	1800	50	18.6	4.4	12.9	17.5	5.7	3.9	0.75/0.8
30	1800	50	18.6	4.4	12.9	17.5	5.7	3.9	0.85/0.9
30	1800	60	19	5.8	11.5	18	5.5	4.9	1.2
30	1800	60	19	5.8	11.5	18	5.5	4.9	1.2
30	1800	60	19	7.8	10.8	19.2	5.3	4.9	1.5
38	1800	50	23.3	5	16	22	7.5	3.8	0.9
38	1800	50	22.8	5	16	21.8	7.3	3.8	0.8
38	1800	50	22	4.2	16.7	20.9	7.6	3.9	0.75/0.8
38	1800	50	24	4.2	16.7	20.9	7.6	3.9	0.85/0.9
38	1800	60	22	5.7	15.5	21.6	7.5	4.8	1.2
38	1800	60	22	5.8	15.5	21.7	7.5	4.8	1.2
38	1800	60	22	7.8	14.3	22.7	7.5	4.9	1.5
38	1800	60	21.8	7.8	14.3	22.7	7.5	4.9	1.5
50	1800	50	28.3	4.7	21.3	26.9	10.2	3.9	0.9
50	1800	60	27.9	6	21.3	27.8	9.6	4.9	1.2
50	1800	60	27.9	6	21.3	27.8	9.6	4.9	1.2
50	1800	60	28.5	7.8	21.3	29.3	10.7	4.9	1.5
50	1800	60	28.5	7.6	21.2	29.2	10.7	4.9	1.5
62.5	1800	60	34.8	5.8	28.4	34.6	13.5	4.8	1.2
62.5	1800	60	34.6	7.9	27.6	35.3	13.2	4.8	1.5
75	1800	60	42.6	5.6	33.3	39.7	15	4.9	1.2
75	1800	60	42.8	7.8	34.3	42.4	16.5	4.9	1.5





防盗合页 Security hinge			
规格	L	W	T
100X75X2.5	100	75	2.5




防盗合页 Security Hinge			
规格	L	W	T
101.6X93X3.5	101.6	93	3.5




100 X 150 X 3mm
100 X 180 X 3.5mm
100 X 200 X 3.5mm
100 X 230 X 3.5mm




100 X 125 X 3.5mm
100 X 150 X 3.5mm
100 X 175 X 3.5mm




Model NO.	Dimension(HxWxT)
SS-FH-B01	100x71.4x25mm
SS-FH-B02	102x72.5x25mm
SS-FH-B03	100x70x2mm





Model NO.	Dimension(HxWxT)
SS-FH-A01	102x74.5x2.5mm
SS-FH-A02	127x91.5x3.0mm





Model NO.	Dimension(HxWxT)
SS403020RH	4.0"x3.0"x2.0mm
SS403025RH	4.0"x3.0"x2.5mm
SS403030RH	4.0"x3.0"x3.0mm




Model NO.	Dimension(HxWxT)
SS-FH-A01	76.2x60x2.0mm
SS-FH-A02	101.6x90x2.5mm
SS-FH-A03	101.6x90x3.0mm
SS-FH-A04	102x48x3.0mm
SS-FH-A05	127x50x3.0mm
SS-FH-A06	152x50x2.5mm





Model NO.	Dimension(HxWxT)
SS-HH-01-RC	92.2x69.2x2.5mm
SS-HH-02-RC	95x54x2.0mm
SS-HH-03-RC	110x58x2.0mm





4x3x2mm




Model NO.	Dimension(HxWxT)
SS353030-CK1	3.5"x3.0"x3.0mm
SS403030-CK1	4.0"x3.0"x3.0mm





4x3x2mm




Model NO.	Dimension(HxWxT)
SS353030-CK2	3.5"x3.0"x3.0mm
SS403030-CK2	4.0"x3.0"x3.0mm




50x38x1.5mm




Model NO.	Dimension(HxWxT)
SS403025-S2	4.0"x3.0"x2.5mm
SS403030-S2	4.0"x3.0"x3.0mm
SS404030-S2	4.0"x4.0"x3.0mm
SS503530-S2	5.0"x3.5"x3.0mm







Model NO.	Dimension(HxWxT)
SS-SA-A03-4"	72x76x2.5mm




Model NO.	Dimension(HxWxT)
SS-TL-2BB-C01	100x66x3.0mm





Model NO.	Dimension(HxWxT)
SS-SA-A04-3.5"	90x52.3x2.0mm




Model NO.	Dimension(HxWxT)	Model NO.	Dimension(HxWxT)
SS-RT-01	51x35x1.0mm	SS-RT-14	2"x2"x1.5mm
SS-RT-02	64x40x1.0mm	SS-RT-15	2"x1-1/2"x1.5mm
SS-RT-03	38x32x1.2mm	SS-RT-16	85x60x1.5mm
?SS-RT-04	40x26x1.2mm	?SS-RT-17	100x75x1.5mm
SS-RT-05	50x50x1.2mm	SS-RT-18	51x39x1.5mm
SS-RT-06	50x40x1.2mm	SS-RT-19	64x42.5"x1.5mm
SS-RT-07	60x34x1.2mm	SS-RT-20	76x50x1.5mm
?SS-RT-08	60x46x1.2mm	?SS-RT-21	127x82x1.5mm
SS-RT-09	89x56x1.2mm	SS-RT-22	20x85x1.5mm
SS-RT-10	50x57.5x1.5mm	SS-RT-23	63x63x2.0mm
SS-RT-11	63.4x40x1.5mm	SS-RT-24	89x56x2.0mm
?SS-RT-12	70x50x1.5mm	?SS-RT-25	100x76x2.0mm
SS-RT-13	75x50x1.5mm		




Model NO.	Dimension(HxWxT)
SS-TL-2BB-A01	100x66x3.0mm




MODEL NO.	SIZE(mm)			
	A	B	C	D
A-01	100	64	32	2.5
A-02	75	48	24	2
A-03	62	48	24	2
A-04	50	40	20	2




Model NO.	Dimension(HxWxT)
SS-TL-2BB-B01	100x66x3.0mm








90x65x2mm
 90x65x2.5mm
 90x70x2.5mm
 90x72x2.5mm
 90x75x2.5mm




90x65x2mm
 90x65x2.5mm
 90x70x2.5mm
 90x72x2.5mm
 90x75x2.5mm




90x65x2mm
 90x65x2.5mm
 90x70x2.5mm
 90x72x2.5mm
 90x75x2.5mm




90x65x2mm
 90x65x2.5mm
 90x70x2.5mm
 90x72x2.5mm
 90x75x2.5mm




90x65x2mm
 90x65x2.5mm
 90x70x2.5mm
 90x72x2.5mm
 90x75x2.5mm




90x65x2mm
 90x65x2.5mm
 90x70x2.5mm
 90x72x2.5mm
 90x75x2.5mm




90x65x2mm
 90x65x2.5mm
 90x70x2.5mm
 90x72x2.5mm
 90x75x2.5mm




90x65x2mm
 90x65x2.5mm
 90x70x2.5mm
 90x72x2.5mm
 90x75x2.5mm





64x52x2mm
75.5x58x2.5mm
90x70x2mm
90x75x2mm
100x70x2.5mm




100x57x2mm




90x60x2mm
90x65x2mm
60x60x2.5mm
90x65x2.5mm




75.5x65x2.5mm




90x60x2mm
90x65x2mm
60x60x2.5mm
90x65x2.5mm



90x60x2.5mm



95x54x2mm



140x70x2.5mm

